

## Forage Suitability Groups (MN)

Rock County, Minnesota

[Absence of an entry indicates that a forage suitability group was not assigned]

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
1015A: Havelock, frequently flooded	80	S	16
1024A: Havelock, occasionally flooded	80	S	09
GP: Pits, gravel	80	---	---
Udipsamments	20	---	---
M-W: Water, miscellaneous	100	---	---
P3A: Biscay, occasionally flooded	85	S	01
P4A: Calco, frequently flooded	80	S	16
P5A: Calco, occasionally flooded	80	S	09
P6A: Colo, occasionally flooded	80	S	01
P7A: Comfrey, occasionally flooded	80	S	01
P8A: Cylinder, occasionally flooded	80	S	01
P11A: Dempster	90	S	02
P11B: Dempster	90	S	02
P12B: Everly	80	S	02

## Forage Suitability Groups (MN)

Rock County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
P12C2: Everly, moderately eroded	80	S	02
P13A: Fairhaven	85	S	02
P13B: Fairhaven	80	S	02
P14A: Flandreau	90	S	02
P14B: Flandreau	80	S	02
P15B: Galva	80	S	02
P15C2: Galva, moderately eroded	80	S	02
P16A: Graceville	90	S	02
P16B: Graceville	90	S	02
P17A: Ihlen	93	S	04
P17B: Ihlen	80	S	04
P18B: Ihlen	55	S	19
Rock outcrop	25	S	24
P18C: Ihlen	45	S	19
Rock outcrop	40	S	24

## Forage Suitability Groups (MN)

Rock County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
P19A: Judson	80	S	02
P20B: Judson	80	S	02
P21A: Marcus	80	S	01
P24B: Moody	85	S	02
P24C2: Moody, moderately eroded	80	S	02
P25C2: Nora, moderately eroded	85	S	02
P25D2: Nora, moderately eroded	80	S	23
P26C2: Nora, moderately eroded	50	S	02
Crofton, moderately eroded	30	S	10
P26D2: Nora, moderately eroded	45	S	23
Crofton, moderately eroded	35	S	23
P27A: Primghar	80	S	01
P28A: Ransom	80	S	01
P29A: Rushmore	80	S	01
P30B: Sac	80	S	02

## Forage Suitability Groups (MN)

Rock County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
P30C2: Sac, moderately eroded	80	S	02
P31A: Spicer	85	S	09
P32A: Spillco, frequently flooded	85	S	15
P33A: Spillco, occasionally flooded	85	S	02
P34B: Splitrock	82	S	02
P34C2: Splitrock, moderately eroded	80	S	02
P36A: Talcot, occasionally flooded	85	S	09
P37B: Talmo	90	S	22
P37D: Talmo	90	S	22
P38B: Thurman	90	S	22
P38C: Thurman	90	S	22
P40A: Bluemound	85	S	22
P41A: Rosedell	95	S	01
P42A: Whitewood	70	S	01

## Forage Suitability Groups (MN)

Rock County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
P43A: Wilmonton	85	S	01
P44E: Shindler	85	S	24
P45E: Moneta	85	S	24
P47A: Whitewood, overwash	80	S	01
P48A: Allendorf	85	S	02
P48B: Allendorf	85	S	02
P55A: Kato	90	S	01
W: Water	100	---	---